



WAAS CH 81925 W13A	APP CRS 133°	Rwy Idg TDZE Apt Elev	4501 721 727
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 13

VIRGIL I GRISSOM MUNI (BFR)

RNP APCH.	<p>⚠ Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Bloomington altimeter setting and increase all MDA 80 feet and increase LP and LNAV Cats C and D visibility 1/8 mile. Procedure NA at night.</p>	<p>MISSED APPROACH: Climb to 2500 direct LOFWU and hold.</p>

AWOS-3 119.125	INDIANAPOLIS CENTER 124.775 269.45	UNICOM 122.8 (CTAF) 0
--------------------------	--	---------------------------------



ELEV 727	TDZE 721
<p>133° to RWY 13</p> <p>4501 X 100</p> <p>2089 X 70</p> <p>0.3% UP</p>	
<p>MIRL Rwy 6-24 and 13-31 0</p> <p>REIL Rwy 13 and 31 0</p>	

CATEGORY	A	B	C	D
LP MDA	1160-1	439 (500-1)	1160-1 3/8	439 (500-1 3/8)
LNAV MDA	1160-1	439 (500-1)	1160-1 3/8	439 (500-1 3/8)

EC-2, 22 APR 2021 to 20 MAY 2021

EC-2, 22 APR 2021 to 20 MAY 2021

WAAS CH 97525 W31A	APP CRS 313°	Rwy Idg TDZE 725 Apt Elev 727	4501
--	------------------------	---	-------------


RNAV (GPS) RWY 31

VIRGIL I GRISSOM MUNI (BFR)

∇ DME/DME RNP-0.3 NA. When local altimeter setting not received, use Bloomington altimeter setting and increase all MDA 80 feet; increase all Cat C/D visibilities ¼ mile. Procedure NA at night. Helicopter visibility reduction below 1 SM NA.



▲NA MISSED APPROACH: Climb to 2500 direct KOXVU and hold.

AWOS-3 119.125	INDIANAPOLIS CENTER 124.775 269.45	UNICOM 122.8 (CTAF) 0
--------------------------	--	---------------------------------



ELEV 727	TDZE 725
----------	----------

Procedure NA for arrivals at WEGEE on V305 southwest bound.



CATEGORY	A	B	C	D
LP MDA	1160-1	435 (500-1)	1160-1¼	435 (500-1¼)
LNAV MDA	1180-1	455 (500-1)	1180-1⅜	455 (500-1⅜)
C CIRCLING	1220-1 493 (500-1)	1260-1 533 (600-1)	1380-1¾ 653 (700-1¾)	1380-2 653 (700-2)

EC-2, 22 APR 2021 to 20 MAY 2021

EC-2, 22 APR 2021 to 20 MAY 2021

VORTAC OOM 110.2 Chan 39	APP CRS 159°	Rwy Idg TDZE 721 Apt Elev 728
--	------------------------	---



VOR/DME RWY 13

VIRGIL I GRISSOM MUNI (BFR)


NA Obtain local altimeter setting on CTAF; when not received, use Indianapolis Intl altimeter setting. Procedure NA at night.
Rwy 13 helicopter visibility reduction below 1 SM NA.

MISSED APPROACH: Climbing left turn to 2500 via OOM R-159 to PERLE 14 DME and hold.

AWOS-3 119.125	INDIANAPOLIS CENTER 124.775 269.45	UNICOM 122.8 (CTAF)
--------------------------	--	-------------------------------



ELEV 728	TDZE 721
----------	----------



CATEGORY	A	B	C	D
S-13	1160-1	439 (500-1)	1160-1¼ 439 (500-1¼)	1160-1½ 439 (500-1½)
CIRCLING	1220-1	492 (500-1)	1220-1½ 492 (500-1½)	1280-2 552 (600-2)
INDIANAPOLIS INTL ALTIMETER SETTING MINIMUMS				
S-13	1300-1	579 (600-1)	1300-1½ 579 (600-1½)	1300-1¾ 579 (600-1¾)
CIRCLING	1360-1	632 (700-1)	1360-1¾ 632 (700-1¾)	1400-2¼ 672 (700-2¼)

MIRL Rws 6-24 and 13-31
REL Rws 13 and 31